

OPERATOR'S MANUAL

HIGH-CAPACITY WHEEL RAKE

WR 4313



FRONTIER
EQUIPMENT™

OMUS00W43 (01/26/09)

TABLE OF CONTENTS

	Page
SAFETY	4
PREPARING THE TRACTOR	
Positioning Tractor Drawbar	14
Using Drawbar Shield	14
Making Drawbar Shield	15
Three-Point Hitch Position	15
Checking Ballast, Wheel Spacing, and Tire Inflation	15
PREPARING THE RAKE	
Checking Tire Inflation Pressure	16
Checking Wheel Nut Torque	16
ATTACHING AND DETACHING	
Attaching Rake to Tractor Drawbar.....	17
Attaching to Tractor Hydraulic System	18
Detaching Rake from Tractor	19
TRANSPORTING	
Preparing Rake For Transport.....	21
OPERATING THE RAKE	
Prestarting Checks.....	25
Preparing Rake for Field Operation.....	25
Operating the Rake.....	28
Setting Working Width	29
Adjusting Raking Wheel Height.....	30
LUBRICATION AND MAINTENANCE	
Perform Lubrication and Maintenance	31
Observe Lubrication Symbols	31
Alternative and Synthetic Lubricants.....	32
Grease.....	32
Lubricant Storage.....	33
Every 10 Hours	33
Every 50 Hours	34
Every 100 Hours.....	35
Every 200 Hours.....	36
Annually	37
As Required	38
TRUBLESHOOTING.....	39-40
SERVICE	
Servicing Tires Safely.....	41

TABLE OF CONTENTS

Servicing Rake Safely	41
Replacing Wheel Tines.....	42
STORAGE	
End of Season	43
Beginning of Season	43
CHECKLISTS	
Dealers Record	44
Predelivery	44
Delivery	45
ASSEMBLY	
Uncrating Rakes.....	46
Assembly Drawbar.....	46-74
FINAL INSPECTION AND LUBRICATION	
Final Inspection and Lubrication	75
SPECIFICATIONS	
High-Capacity Wheel Rake	76
Record Product Identification Number	77
Tightening Flare Type Tube Fittings.....	77
Unified Inch Bolt and Cap Screw Torque Values.....	78
Metric Bolt and Cap Screw Torque Values.....	79
SPARE PARTS.....	80-102
INDEX.....	103-104

<https://www.ebooklibonline.com>

Hello dear friend!

Thank you very much for reading.

Enter the link into your browser.

The full manual is available for immediate download.

<https://www.ebooklibonline.com>

SAFETY

SAFETY ALERT SYMBOL



This safety alert symbol indicates important safety messages in this manual and on safety signs on the machine.

This symbol means:

ATTENTION!
BECOME ALERT!
YOUR SAFETY IS INVOLVED!

Carefully read and follow the safety message accompanying this symbol.

Why is SAFETY important to you?

- 3 BIG REASONS
- ACCIDENTS DISABLE AND KILL
 - ACCIDENTS COST
 - ACCIDENTS CAN BE AVOIDED

SIGNAL WORDS

Note the use of the signal words DANGER, WARNING, and CAUTION with safety messages. The appropriate signal word for each message has been selected using the following guidelines:



DANGER – Indicates an imminently hazardous situation that, if not avoided, will result in death or serious injury.



WARNING – Indicates a potentially hazardous situation that, if not avoided, could result in death or serious injury. It is also used to alert against unsafe practices.



CAUTION – Indicates a potentially hazardous situation that, if not avoided, may result in minor or moderate injury. It is also used as a reminder of good safety practices.

SAFETY


FOLLOW SAFETY INSTRUCTIONS

Carefully read all safety messages in this manual and on your machine safety signs. Keep safety signs in good condition. Replace missing or damaged safety signs. Be sure new equipment components and repair parts include the current safety signs. Replacement safety signs are available from your Frontier dealer.

Learn how to operate the machine and how to use controls properly. Do not let anyone operate without instruction.

Keep your machine in proper working condition. Unauthorized modifications to the machine may impair the function and/or safety and affect machine life.

If you do not understand any part of this manual and need assistance, contact your Frontier dealer.



OPERATE RAKE SAFELY

All machinery should be operated by responsible persons who have been properly instructed and delegated to do so.

Before each use, inspect entire machine. Check tightness of all hardware.

Stop the tractor engine and engage parking brake before leaving tractor operator's station to adjust, lubricate, clean or unclog the machine.

Never hand feed material into the machine.

Do not lean against, sit, or stand on rake.

Make sure bystanders are clear of machine before lowering rake wheels.



Suggest:

For more complete manuals. Please go to the home page.

<https://www.ebooklibonline.com>

If the above button click is invalid. Please download this document first, and then click the above link to download the complete manual.

Thank you so much for reading

SAFETY

KEEP RIDERS OFF MACHINE

Only allow the operator on the machine. Keep riders off.

Riders on machine are subject to injury such as being struck by foreign objects and being thrown off of the machine. Riders also obstruct the operator's view resulting in the machine being operated in an unsafe manner.




PREPARE FOR EMERGENCIES

Be prepared if a fire starts.

Keep a first aid kit and fire extinguisher handy.


Keep emergency numbers for doctors, ambulance service, hospital, and fire department near your telephone.



WEAR PROTECTIVE CLOTHING

Wear close fitting clothing and safety equipment appropriate to the job.

Operating equipment safely requires the full attention of the operator. Do not wear radio or music headphones while operating machine.



SAFETY


HANDLE CHEMICAL PRODUCTS SAFELY

Direct exposure to hazardous chemicals can cause serious injury. Potentially hazardous chemicals used with Frontier equipment include such items as lubricants, coolants, paints, and adhesives.

A Material Safety Data Sheet (MSDS) provides specific details on chemical products: physical and health hazards, safety procedures, and emergency response techniques.

Check the MSDS before you start any job using a hazardous chemical. That way you will know exactly what the risks are and how to do the job safely. Then follow procedures and recommended equipment.


(See your Frontier dealer for MSDS's on chemical products used with Frontier equipment.)



USE SAFETY LIGHTS AND DEVICES

Prevent collisions between other road users, slow moving tractors with attachments or towed equipment, and self-propelled machines on public roads. Frequently check for traffic from the rear, especially in turns, and use hand signals or turn signal lights.

Use headlights, flashing warning lights, and turn signals day and night. Follow local regulations for equipment lighting and marking. Keep lighting and marking visible and in good working order. Replace or repair lighting and marking that has been damaged or lost.



<https://www.ebooklibonline.com>

Hello dear friend!

Thank you very much for reading.

Enter the link into your browser.

The full manual is available for immediate download.

<https://www.ebooklibonline.com>